ELSEVIER

Forensic Science International
107 (2000) vii–ix

Forensic Science International

www.elsevier.com/locate/forsciint

Contents

Abstracted in: *Biological Abstracts: Bulletin Signaletique: CABS (Current Awareness in Biological Sciences); Cambridge Scientific Abstracts; Chemical Abstracts: Criminology, Penology and Police Science Abstracts; Current Contents; EMBASE/Excerpta Medica; Index Medicus; National Criminal Justice Reference Service; Police Science Abstract; Science Citation Index.*

Special Issue

Selected Papers from the 2nd International Meeting of the Society of Hair Testing June, 14–16, 1999, Martigny, Switzerland

Foreword
P. Kintz (France) 1
Consensus of the Society of Hair Testing on hair testing for doping agents
H. Sachs, P. Kintz (Germany, France) 3
Potential problems with the interpretation of hair analysis results
R. Wennig (Luxembourg) 5–12
Statistical examination of hair color as a potential biasing factor in hair analysis
T. Mieczkowski, R. Newel (USA) 13–38
Evidence for bias in hair testing and procedures to correct bias
D.A. Kidwell, E.H. Lee, S.F. DeLauder (USA) 39–61
Hair analysis for drugs of abuse. Hair color and race differentials or systematic differences in drug preferences?
R.C. Kelly, T. Mieczkowski, S.A. Sweeney, J.A. Bourland (USA) 63–86
Influence of bleaching on stability of benzodiazepines in hair
M. Yegles, Y. Marson, R. Wennig (Luxembourg) 87–92
The incorporation of dyes into hair as a model for drug binding
S.F. DeLauder, D.A. Kidwell (USA) 93–104
Experimental designs in the optimisation of ultrasonic bath–acid-leaching procedures for the determination of trace elements in human hair samples by atomic absorption spectrometry
P. Bermejo-Barrera, O. Muñiz-Naveiro, A. Moreda-Piñeiro, A. Bermejo-Barrera (Spain) 105–120
Hair analysis by using radioimmunoassay, high-performance liquid chromatography and capillary electrophoresis to investigate chronic exposure to heroin, cocaine and/or ecstasy in applicants for driving licences
F. Tagliaro, R. Valentini, G. Manetto, F. Crivellente, G. Carli, M. Marigo (Italy) 121–128
Use of headspace solid-phase microextraction (HS-SPME) in hair analysis for organic compounds
F. Sporkert, F. Pragst (Germany) 129–148
Selenium determination in mother and child's hair by electrothermal atomic absorption spectrometry
P. Bermejo Barrera, M.J. Lorenzo Alonso, A. Bermejo Barrera, J.A. Cocho de Juan, J.M. Fraga Bermúdez (Spain) 149–156

Simultaneous hair testing for opiates, cocaine, and metabolites by GC–MS: a survey of applicants for driving licenses with a history of drug use
M. Montagna, C. Stramesi, C. Vignali, A. Groppi, A. Polettini (Italy) 157–167
Tandem mass spectrometry: a helpful tool in hair analysis for the forensic expert
M. Uhl (Germany) 169–179
Analysis of LSD in human body fluids and hair samples applying ImmunElute columns
J. Röhrich, S. Zörntlein, J. Becker (Germany) 181–190
The use of supercritical fluid extraction for the determination of amphetamines in hair
D.L. Allen, J.S. Oliver (UK) 191–199
Are there possibilities for the detection of chronically elevated alcohol consumption by hair analysis? A report about the state of investigation
F. Pragst, K. Spiegel, F. Sporkert, M. Bohnenkamp (Germany) 201–223
Use of solid-phase microextraction (SPME) for the determination of methadone and EDDP in human hair by GC–MS
A.C.S. Lucas, A.M. Bermejo, M.J. Tabernero, P. Fernández, S. Strano-Rossi (Brazil; Spain; Italy) 225–232
Incorporation of propyphenazone in beard hair of a migraine patient
M. Yegles, R. Wennig (Luxembourg) 233–237
Detection of THCCOOH in hair by MSD-NCI after HPLC clean-up
H. Sachs, U. Dressler (Germany) 239–247
Hair analysis by immunological methods from the beginning to 2000
V. Spiehler (USA) 249–259
Analysis of drugs of abuse in hair by automated solid-phase extraction, GC/EI/MS and GC ion trap/CI/MS
C. Girod, C. Staub (Switzerland) 261–271
Evaluation of cocaine, amphetamines and cannabis use in university students through hair analysis: preliminary results
O. Quintela, A.M. Bermejo, M.J. Tabernero, S. Strano-Rossi, M. Chiarotti, A.C.S. Lucas (Spain; Italy; Brazil) 273–279
Clinical applications of hair testing for drugs of abuse — the Canadian experience
J. Klein, T. Karaskov, G. Koren (Canada) 281–288
Clozapine dose–concentration relationships in plasma, hair and sweat specimens of schizophrenic patients
V. Cirimele, P. Kintz, O. Gosselin, B. Ludes (France) 289–300
Hair analysis for driving licence in cocaine and heroin users. An epidemiological study
M.C. Ricossa, M. Bernini, F. De Ferrari (Italy) 301–308
Is there a place for hair analysis in doping controls?
L. Rivier (Switzerland) 309–323
Pharmacological criteria that can affect the detection of doping agents in hair
P. Kintz, V. Cirimele, B. Ludes (France) 325–334
Analytical strategy for detecting doping agents in hair
D. Thieme, J. Grosse, H. Sachs, R.K. Mueller (Germany) 335–345
Hair analysis and detectability of single dose administration of androgenic steroid esters
J. Segura, S. Pichini, S.H. Peng, X. de la Torre (Spain; Italy) 347–359
Compared interest between hair analysis and urinalysis in doping controls. Results for amphetamines, corticosteroids and anabolic steroids in racing cyclists
Y. Gaillard, F. Vayssette, G. Pépin (France) 361–379
Identification of ten corticosteroids in human hair by liquid chromatography–ionspray mass spectrometry
V. Cirimele, P. Kintz, V. Dumestre, J.P. Goullé, B. Ludes (France) 381–388

The hair analysis proficiency testing program of the French Society of Analytical Toxicology
M. Deveaux, P. Kintz, J.-P. Goullé, J. Bessard, G. Pépin, D. Gosset (France) 389–394

Author index 395

Subject index 397–401